Tel: +662 - 383 - 5473 Fax: +662 - 383 - 5474

# MATERIAL SAFETY DATA SHEET

### 1. PRODUCT AND COMPANY DATA

**Product Name:** Anionic Polyacrylamide **Supplied By:** Future Chem Asia Co., Ltd

29/67-68 Moo 7 Srinakarin Road, Teparuk, Muang, Samutprakarn 10270

**Emergency Call:** +662 3835473

#### 2.HAZARDS

### No Hazardous Ingredients

Static charges generated by emptying package in or near flammable vapours may cause flash fire.

May form flammable dust-air mixtures.

May cause eye irritation by mechanical abrasion.

May cause skin irritation by mechanical abrasion.

Inhalation my cause respiratory tract irritation.

### 3. FIRST MEASURE

- S Eyes May cause slight irritation. Wash immediately with plenty of low-pressure water for at least 10 minutes.
  - Ingestion Do NOT induce vomiting. Get immediate medical attention
- Skin Wash thoroughly with soap and water.
   Get medical attention if irritation develops or persists.
- Inhalation Remove to fresh air. Get medical attention if nasal, throat or lung irritation develops.
- Physical Effects Flammable dust clouds may be formed in contact
   with Air. Keep away from ignition sources.
   Very slippery when wet.

### 4.FIRE FIGHTING MEASURES

- Extinguishing media Foam, dry powder or carbon dioxide. Avoid water if possible as the product is slippery when wet.
- Fire Fighting

**Equipment** Chemical protection suit and self- contained breathing Apparatus.

Tel: +662 - 383 - 5473 Fax: +662 - 383 - 5474

Dust Dust may be explosive if mixed with air and in the presence of an ignition source. Avoid these circumstances.

### 5. ACCIDENTAL RELEASE MEASURE

- Personal precautions Avoid dusting and contact with skin and eyes. Use of a dust mask when handling the product.
- Spillages Sweep up and dispose of in a dry environment area finally clearing the area by hosing with water.
  Spilled product, which becomes wet is very slippery and should be treated with sand prior to disposal.

## **6.HANDLING AND STORAGE**

- Handling Minimise dusting of product.
- Storage Store the powder in cool, dry conditions avoiding humid and wet areas.

## 7.EXPOSURE CONTROL

 Ensure adequate ventilation in confined areas and where dusting is a problem ensure adequate exhaust facilities are provided.

# 8. Personal Protection Equipment

- Respiratory If dusting is a problem wear an effective facemask with a particle filter.
- Eye Use of goggles.
- Hand Plastic gloves.
- Skin/Body Lightweight protective clothing.

### 9.PHYSICAL AND CHEMICAL PROPERTIES

- Colour White.
- Appearance White Granular solid.

Tel: +662 – 383-5473 Fax: +662 – 383 – 5474

29/67-68 Moo 7 Srinakarin Road, Teparuk, Muang, Samutprakarn 10270

- Specific Gravity Approx 0.75g/cm3.
- Odour None.
- PH 1% solution 6 to 8
- Boiling Point Not applicable.
- Melting Point Not available.
- Flash Point Not available.
- Vapour Pressure Not applicable.
- Flammability Not available.
- Auto ignition temperature Not available.
- Water Solubility Produces a highly viscous solution.

## **10.STABILITY AND REACTIVITY**

- Stability Stable at ambient temperature.
- Conditions to avoid None.
- Materials to avoid Avoid contact with oxidising agents.
- Hazardous decomposition products Carbon monoxide, carbon dioxide, ammonia.

# 11.Toxicological Information

- Not list as a carcinogen by NTP. Not regulated as a carcinogen by OSHA. Not evaluated by IARC.
- Oral LD 50 (rat) >5000mg/kg.
- No human toxicity studies have been carried out with this product. Due to the physical nature of this material, may cause eye, skin and respiratory irritation.

## 12.ECOLOGICAL INFORMATION

96hr LC 50(fish) >1000mg/l.

Tel: +662 - 383 - 5473 Fax: +662 - 383 - 5474

# 13.DISPOSAL

Local and national regulations should be followed.

# 14.TRANSPORT

Not classified as dangerous in any form of transportation.

# 15.REGULATORY LABELLING INFORMATION

- Hazard Symbols None.
- ® Risk Phrases None.
- Safety Phrases None.

# **16.OTHER INFORMATION**

 Materials that in themselves are normally stable, even under fire exposure conditions